PRODUCT SAFETY

Snap-on Incorporated

RETROFIT

October 16, 2026

PRODUCTS AFFECTED: EPIQ™ PowerTops™ that have the power strip pictured below:

Part Numbers: **KEPW36, KEPW60, KEPW68, KEPW84** EPIQ™ stainless and bedliner-coated PowerTops™ manufactured prior to February 20, 2026.

HAZARD: ⚠ WARNING

The power strip pictured below, when used with devices that draw high current, can become hot, creating risk of serious injury, death, fire or failure.



ACTIONS:

1. Please instruct any affected customers to discontinue use of the power strip by setting the switch to the **OFF** position. The switch and backlighting will no longer be illuminated and power will not be available at the outlets.



To confirm that your customer's PowerTop™ has an affected power strip, look for the serial number on the back right side of the PowerTop™ as shown below.



The affected units have serial numbers that begin with AF12 through AF53 and AG01 through AG07. The serial number is found on the back of the PowerTop™.

2. Record the PowerTop's™ serial number. *A photo is acceptable.*

QUESTIONS:

If you have questions on this advisory or need assistance contact: 1-877-762-7664

ACTIONS continued:

3. Contact Snap-on using the QR code or direct link below and provide shipping, contact, and serial number information.

Shipping & contact information:
Dealer # *If applicable*

Name
Phone Number
Address, City, State, ZIP, Country
E-mail Address

PowerTop™ Serial Number(s) ***P****hoto(s) are acceptable.*

Direct Link: https://app.smartsheet.com/b/form/019ef61eef4b78c0a7faffc49a0c7e1a

4. Snap-on will send you replacement power strip(s) and a pre-paid return label for your affected power strip(s).


5. Replace the power strip(s) and return the affected power strip(s) using the included pre-paid return label.

NOTE: Replacement is done from the top of the worksurface and takes about 2 minutes. See instructions on the next page and link below.

The PowerTop™ does **not** have to be removed.

Power strip retrofit video

Direct Link: https://uniqo.de/OZOcJA



QUESTIONS:

If you have questions on this advisory or need assistance contact: 1-877-762-7664

PRODUCT SAFETY

Snap-on Incorporated

RETROFIT

October 16, 2026

Replacement Instructions:

Remove power strip

IMPORTANT: Unplug PowerTop™

1. Remove and save two screws
2. Slide power strip rearward



3. Lift up and rotate power strip
4. Clip cable tie




5. Unplug & set power strip aside for return



6. Return power strip using the included pre-paid shipping label

Install new power strip

1. Plug in power strip
2. Connect cables to power strip using the provided cable tie
3. Tighten cable tie and clip to remove excess



4. Slide power strip forward into opening to align slots with threaded inserts (a)
5. Secure using the (2) saved screws



6. Plug the PowerTop™ in and set the switch to the reset position



7. Return power strip using the included pre-paid shipping label

QUESTIONS:

If you have questions on this advisory or need assistance contact: 1-877-762-7664